

Contents

- 1 How to create a frame animation with SVG
 - ◆ 1.1 Overview
 - ◆ 1.2 What do you need
 - ◆ 1.3 First take some pictures
 - ◆ 1.4 Then create the wrapper
 - ◆ 1.5 Copy the file(s) to your phone and play!
 - ◆ 1.6 More details
 - ◇ 1.6.1 animate
id='frame_0'
 - ◇ 1.6.2
attributeName='display'
 - ◇ 1.6.3
values='inline:none'
 - ◇ 1.6.4 dur='0.5s'
 - ◇ 1.6.5 fill='freeze'
 - ◇ 1.6.6 begin="0s"
 - ◇ 1.6.7
repeatCount="indefinite"
 - ◆ 1.7 Tell me what you think

How to create a frame animation with SVG

Overview

On this page you will find very simple and easy instructions on how to create frame animations from existing pictures on your mobile phone. Basically we just create an SVG wrapper to show a sequence of photos and loop it indefinitely.

What do you need

- A basic knowledge of XML
- An SVG capable mobile phone (see [Forum Nokia Device specifications] for more information)
- A PC or a text editor in your phone
- Bluetooth, cable or other transfer method between your phone and PC (if you are not using a text editor in your phone)

First take some pictures

To start with we assume, that you have two pictures in your phone's gallery. Take two pictures, where you, for example smile and frown, or use some images you took previously and rename them to: **Frame1.JPG** and **Frame2.JPG**.

The important thing is, that if you are creating an animation the two pictures need to be like two consecutive animation frames

Then create the wrapper

Open a text editor and copy the following code into it:

```
<?xml version='1.0' standalone='no'?>
<!DOCTYPE svg PUBLIC "-//W3C//DTD SVG 1.1//EN"
'http://www.w3.org/Graphics/SVG/1.1/DTD/svg11.dtd'>

<svg width='100%' height='100%' xmlns='http://www.w3.org/2000/svg'
xmlns:xlink='http://www.w3.org/1999/xlink'>

  <image width="320" height="240" xlink:href="Frame1.JPG">
    <animate id='frame_0' attributeName='display' values='inline;none'
dur='0.5s' fill='freeze' begin="0s" repeatCount="indefinite"/>
  </image>

  <image width="320" height="240" xlink:href="Frame2.JPG">
    <animate id='frame_1' attributeName='display' values='none;inline'
dur='0.5s' fill='freeze' begin="0.5s" repeatCount="indefinite" />
  </image>

</svg>
```

And save it as e.g. **My_Show.svg**, only the extension *.svg* is important. If you use a text editor in your phone, make sure you save the file in the same folder where your *Frame1.JPG* and *Frame2.JPG* are.

Copy the file(s) to your phone and play!

If you used a text editor in your PC, transfer **My_Show.svg** to your phone and make sure it gets saved into the same folder where the files *Frame1.JPG* and "Frame2.JPG" are.

Now you can use your phone's File manager to launch the file. If you have named all the files correctly you should now see a two frame looping animation!

More details

The key to understanding what was done lies in two features of SVG: Links and Animations. First of all the following line simply links the file *Frame1.JPG* to be displayed in size 320x240 pixels. No path is needed, since the file is in the same folder that the file referring it.

```
<image width="320" height="240" xlink:href="Frame1.JPG">
```

The next line gives instructions on what to do with the linked image.

```
<animate id='frame_0' attributeName='display' values='inline;none'  
  dur='0.5s' fill='freeze' begin="0s" repeatCount="indefinite"/>
```

Please keep in mind that the end tag for *<image>* must be after the end tag of *<animate>*

Let's break the *animate* tag apart:

animate id='frame_0'

This is an Identifier that allows referring to this animation elsewhere. For example the next frame could be made to start at *frame_0.end*

attributeName='display'

This is the SVG attribute that we wish to animate. Other options would be for example to use the *opacity* attribute, when we would achieve a fade effect instead of the one we get with *display*. The values for opacity would be **0** and **1** instead of the *inline* and *none* used with *display* More information can be found at: [\[W3C\]](#)

values='inline;none'

These are specific values to the *display* animation attribute. *inline* stands for "show me" and *none* means "hide me". Please see [\[here\]](#) for more detailed information about specific values used with different animation attributes.

dur='0.5s'

The *dur* attribute is simply short for "duration" in this case it is set to a half a second, but it can be a lot shorter. It means, that image will show for that amount of time until it blinks out There are restrictions to the drawing speed of the device, but 30fps would be 0.03. Feel free to experiment :)

fill='freeze'

Animation timing attribute, more information at [\[W3C\]](#)

A_simple_SVG_frame_animation

begin="0s"

This sets the start time of the animation. In this case the very beginning. When you look at the animation code of *Frame2.JPG*, you'll notice, that it is set to start at the exact same time *Frame1.JPG* is hidden (0.5s). If you have more than one two images in your animation (as you usually would) you have to grow this number as much as your duration is for the previous image. So if you were to add *Frame3.JPG* it should start at 1s, *Frame4.jpg* at 1.5s etc.

repeatCount="indefinite"

The *repeatcount* attribute sets the animation to loop. If a number is used, the amount of cycles can be set exactly.

Tell me what you think

I have used this method for creating a stop motion animation that can be viewed on my s60 3rd edition phone. Please let me know if you succeed (or, indeed, fail ;) in doing the same.

--[Risalmin](#) 00:33, 6 July 2007 (UTC)