

How to port Adobe AIR to WRT

Contents

- [1 Introduction](#)
- [2 Getting Started](#)
- [3 Building the Application](#)
- [4 Manifest](#)
 - ◆ [4.1 Manifest](#)
 - ◆ [4.2 Manifest \(Initial file\)](#)
 - ◆ [4.3 Manifest](#)
- [5 AIR \(Unzipping\)](#)
- [6 info.plist](#)
 - ◆ [6.1 info.plist](#)
 - ◆ [6.2 ID](#)
 - ◆ [6.3 info.plist](#)
- [7 Application](#)
- [8 Zip](#)
- [9 Application](#)
- [10 Application](#)

???????

1. XML,HTML?????
2. ZIP???????????????
3. ???????????????????
4. PC??S60???????????????

??

Widget??JavaScript, HTML, XML, Flash??ZIP????????????????????

Adobe AIR ?????????? S60 Web Runtime ????????????????

????????

?????????AIR??JavaScript????????????????

??

ZIP????????????????????Widget????????????????????

Manifest????

??XML????????????????????????????????

1. ?????????????????(??)
2. ?????????????(S60 Web Runtime????????)
3. ??????(Initial file)????????
4. ???ID(Unique Identifier)

?????(Initial file)

????????????????????????(HTML, XML, Flash????)???

????????????????

????????Widget??(Apple Dashboard, Windows????)????????????????

?Widget Runtime????????????????W3C????????????????????????????AIR????????????????(S60 Web Runtime)wgz????????????????

AIR?????(Unzipping)


????AIR????????????????

?????.air????????????PC????????????????????(????????)????????????????????????????

Windows XP PC??Winzip?????????: Adobe AIR?????????.air????????"Open with"????Adobe

AIR?????????.air????????"Extract"????????"Extract"????????

Winzip????????



????????



Winzip warning message

info.plist Manifest????????

.wgz?? info.plist ?Manifest????????????????????AIR???? application.xml
??Web Runtime Manifest????????????????????AIR????????????????????

- \META-INF\AIR????????????application.xml????????
- info.plist?????????_????????????????????

????????????????

application.xml????????????????????????????

<name>funkyCalc</name>

????????info.plist????????(????????"XXXXXX"????????)

<key>DisplayName</key>
<string>XXXXXX</string>

ID????????

application.xml????????????????????????????

<id>com.adobe.example.funkyCalc</id>

????????info.plist????????(????????"com.xxx.xxx.xxx"????????)

<key>Identifier</key>
<string>com.xxx.xxx.xxx</string>

????????????????

application.xml????????????????????????????

<content>libraryeffects/libraryeffects.htm</content>

????????info.plist????????(????????"xxx.xxx"????????)

<key>MainHTML</key>
<string>xxx.xxx</string>

???info.plist ??????AIR??

