

This article is archived because it is not considered relevant for third-party developers creating commercial solutions today. The article is believed to be still valid for the original topic scope.



The content fetching services

The currently available content fetching services in WidSets:

Type	Fetched	Function
<u>syndication</u>	yes	Delivers syndication (RSS/RDF/ATOM) feed content. Returns predefined fields from the feed. You can use TOKEN authentication with the feeds. (See Token authentication .)
<u>webfeed</u>	yes	Delivers customized syndication feed content. Any fields in the structured source document can be referenced and returned by the service in a controlled fashion. (See Advanced filters .)
<u>image</u>	no	Returns scaled images to the script. The images are normally scaled, converted to 8 bit indexed color and encoded to PNG format. You can get custom size images with a bounding box.
<u>http</u>	no	Executes HTTP fetches. HTTP GET, HTTP POST. Parameters can be input separately so they can be URLEncoded. The content is returned in String or Binary format depending on the source. A filter can be applied to the content that is returned. (See Advanced filters .)

For more detailed descriptions of each service, please check their own articles.

See also

- [Getting content with Services](#)
- **Available content fetching services**
 - ◆ [Syndication service](#)
 - ◆ [Webfeed service](#)
 - ◆ [Image service](#)
 - ◆ [HTTP service](#)
- [Fetcher details](#)
 - ◆ [Feed formats](#)
 - ◆ [HTTP authentication](#)
- [Advanced filters](#)
 - ◆ [Filter expressions reference](#)