

Closing_the_application_via_Task_list

User should be able to close all applications via device's task list. Task list is opened by pressing the Application key for a while. Then, use can select the application to be closed and press C key. This is important from the usability and user experience point of view as applications running in the background may consume a lot of memory and battery.

Being able to close the application via Task list is a requirement in Symbian Signed, check for test case number "Task List (UNI-05)". Application that cannot be closed via Task list, won't pass the tests and therefore cannot be Symbian Signed.

- Application must not be closed via task list if its showing a dialog. So make sure that no dialog is showing during closing application via task list.

Solution

In order for an application to be closed through the Task list, it should handle the *EEikCmdExit* command either in the application UI or views. Independently of the current state, one of the application's *HandleCommandL()* methods should react to *EEikCmdExit* and call *Exit()* on the application UI.

Note that an application cannot be closed through the Task list if it runs a confirmation dialog on exit, for example:

```
?  
if(ConfirmExitL())  
    {  
        SaveL();  
        Exit();  
    }  
?
```

where *ConfirmExitL()* displays a confirmation dialog. Consider removing the confirmation dialog, or running it only if the application is in the foreground. The above example could be rearranged as follows:

```
?  
TBool reallyExit = IsForeground()?ConfirmExitL():ETrue;  
if(reallyExit)  
    {  
        SaveL();  
        Exit();  
    }  
?
```

where *IsForeground()* is provided by the *CAknAppUiBase* class.

It is also important to allow the framework to be able to close the application without user intervention, in cases of low memory for instance.

TSS000756 - Enabling notification about application being closed details the notification mechanism for the same. The event can also be captured in the *HandleWsEventL* function of the *appui* class if required.

Closing_the_application_via_Task_list

```
void CYourAppUi::HandleWsEventL (const TWsEvent &aEvent, CCoeControl *aDestination)
{
switch (aEvent.Type())
{
case EEventUser:
{
//Check if this is a System's call to the app for shut down
if (( *reinterpret_cast<TPaSystemEvent*>(aEvent.EventData())) == EApaSystemEventShutdown)
{
// Do something if required
}
}
break;
default:
break;
CAknAppUi::HandleWsEventL(aEvent, aDestination);
}
}
```

See also

- [Common failures in Symbian Signed testing](#)
- [How to retrieve a list of currently running tasks](#)