

- [Add a Bookmark](#)
- [Application signing for Dummies](#)
- [Application without loading resource File](#)
- [Available positioning modules](#)
- [CMPRecentList:](#)
- [CS000817 - Installing and uninstalling MIDlets programmatically](#)
- [CS000818 - Setting various indicators](#)
- [CS000821 - Handling Camera resource](#)
- [CalInterimAPI](#)
- [Calendar](#)
- [Call termination with RCall::HangUp](#)
- [Capturing the slider events](#)
- [Celestial Sphere](#)
- [Change Wallpaper](#)
- [Changing Operator Logo](#)
- [Changing softkeys dynamically and disabling them in S60](#)
- [Changing the GCC-E optimization level to speed up your application](#)
- [Check Bluetooth power on/off in Symbian 2nd edition phones](#)
- [Cleanup stack support for non-CBase classes](#)
- [Client side implementation of a server](#)
- [Clipping longText to Fit Screen](#)
- [Codewarrior Scripting](#)
- [Compiling C- code for 3rd Edition Target Devices \(UREL mode\)](#)
- [Constructing HTTP POST Url parameters](#)
- [Converting Descriptor to Char and Char to Descriptor](#)
- [Create Dynamic Settings Pages](#)
- [Create a certificate using OpenSSL](#)
- [Create your own email editor or viewer](#)
- [Creating Local Message Folders](#)
- [Creating and using self-signed certificate](#)
- [Creation of MBM file](#)
- [Cutting the Call Stack](#)
- [DOs and DON'Ts of Symbian C++](#)
- [Descriptors as Function Parameters](#)
- [Directory Monitoring](#)
- [Disabling autostart by default](#)
- [Display image gallery grid with asynchronous thumbnails 2nd Edition](#)
- [Display wait note between HTTP response delay](#)
- [Displaying controls in Symbian exe programs](#)
- [Draw an icon on the screen from a MIF file](#)
- [Efficient way of Loading Bitmap and Mask in S60](#)
- [Error Handling](#)
- [Executing Console Applications on Devices](#)
- [Execution of landmark operations](#)
- [Explaining Key Events in Symbian](#)
- [Extended panic code](#)
- [FFT algorithm](#)
- [FNWiki Categories](#)
- [Fading Screen](#)
- [Fetch device model information](#)
- [File logger](#)

- [File:DataSync.zip](#)
- [File:HowToSignFExplore.zip](#)
- [File:MMSEExample.zip](#)
- [File:SyncMLdataSyncProfileCreation.zip](#)
- [File:Usability.zip](#)
- [Filtering Directory Content](#)
- [GPS Compass](#)
- [Get List of Active Bluetooth Connections](#)
- [Getting Gallery Images Rootpath](#)
- [Getting Notification of System Time Change](#)
- [Getting T9 state in 3rd Edition](#)
- [Getting the host address in Symbian C++](#)
- [Handle Profile Activation](#)
- [Handle Window Server-Generated Events](#)
- [How do I start programming for Symbian OS?](#)
- [How to Add an application shortcut to the Go To menu of a S60 device?](#)
- [How to Change CEikLabel Color in Symbian C++](#)
- [How to Change an Image in the Context Pane](#)
- [How to Construct a Multibitmap from command prompt](#)
- [How to Convert HBufC to QString](#)
- [How to Convert TBuf to Char and Vice Versa](#)
- [How to Convert TBuf to QString](#)
- [How to Convert a Qt QString to an S60 descriptor](#)
- [How to Convert/Append Floating point number to Descriptor??](#)
- [How to Create a Direct File Store](#)
- [How to Create a Scrollable Container](#)
- [How to Create a Transparent Window](#)
- [How to Delete an event from Log?](#)
- [How to Detect Offline Mode in 3rd Edition](#)
- [How to Disable Highlight Animations](#)
- [How to Disable T9](#)
- [How to Display an Image in Navigation Pane Using Resources](#)
- [How to Display an Image in the Title Pane](#)
- [How to Display the Uid of Applications installed on 3.0 phones](#)
- [How to Enable/Disable Drag and Move Events in a Control](#)
- [How to Enable/Disable Pointer Repeat Events](#)
- [How to Generate Random Numbers](#)
- [How to Handle Events while Application is in BackGround](#)
- [How to Handle Pointer Events in a Custom Control](#)
- [How to Hide Application from User Menu](#)
- [How to Know Capability of an Application Dynamically](#)
- [How to Launch Browser in 3rd edition](#)
- [How to Launch an EXE and Pass Command Line Arguments](#)
- [How to Make an HTTP Connection Using TCP/IP with RSocket](#)
- [How to Open SMS or MMS Editor](#)
- [How to Override the Behavior of Shortcut Keys.](#)
- [How to Switch Off the phone](#)
- [How to Uninstall files/directories created by the application?](#)
- [How to Use CAknSliderSettingPage for creating dynamic slider](#)
- [How to add Active Object to the Active Scheduler](#)
- [How to add Marquee effect in ListBox](#)

- [How to add ScrollBar in ListBox](#)
- [How to add caption to a FEP-aware text editor](#)
- [How to add contacts from phonebook](#)
- [How to append data to file in Symbian c++](#)
- [How to apply highlighting in richtexteditor](#)
- [How to autostart an application on boot up in 3rd- Startup List Management API](#)
- [How to avoid common errors and make program efficient.](#)
- [How to build cross-referencing DLLs](#)
- [How to calculate directory content](#)
- [How to calculate distance between two landmarks](#)
- [How to calculate the direction of movement](#)
- [How to call Python from C](#)
- [How to capture Keyevents in thread or exe](#)
- [How to capture screen to bitmap](#)
- [How to catch a panic](#)
- [How to change font of specific item in a listbox](#)
- [How to change the CAknPopupFieldText Dynamically](#)
- [How to change the Wallpaper](#)
- [How to change wait note text at runtime](#)
- [How to check disk drive storage space](#)
- [How to check if device has memory card or not](#)
- [How to check if the phone is in offline mode](#)
- [How to check the Heap Memory Allocated](#)
- [How to check whether Pen Support is Enabled](#)
- [How to check whether the application is running](#)
- [How to compact local landmark databases](#)
- [How to connect to a particular Bluetooth address](#)
- [How to control visibility of a setting item in Setting Listbox](#)
- [How to convert HBuf to TBuf](#)
- [How to convert PCM to AMR](#)
- [How to convert TInetAddr to TBuf](#)
- [How to convert TUint IP Address to Char String](#)
- [How to copy Bitmap Handles](#)
- [How to create Button with Picture](#)
- [How to create Label](#)
- [How to create Local Message Folder](#)
- [How to create RInteger for RSA](#)
- [How to create SyncML Data Synchronization profile](#)
- [How to create Text View](#)
- [How to create a MIF file](#)
- [How to create a SMIL message](#)
- [How to create a server from scratch](#)
- [How to create a simple console](#)
- [How to create a simple listbox](#)
- [How to create alarm](#)
- [How to create an instance of a T?class into heap with a new operator](#)
- [How to create application icon\(SVG\) in S60 3rd edition](#)
- [How to create folders and Subfolders inside Inbox](#)
- [How to create screensaver](#)
- [How to create semi-transparent windows](#)
- [How to create singleton class in Symbian](#)

- [How to debug with emulator on the fly](#)
- [How to define a custom separator in TLex](#)
- [How to define application icon](#)
- [How to define folder for application icon while installation](#)
- [How to define localization messages](#)
- [How to define submenu](#)
- [How to detect HTTP connection break](#)
- [How to detect a bluetooth device being in non-discoverable \(private\) mode](#)
- [How to detect internet disconnection from application using red key](#)
- [How to detect profile](#)
- [How to detect remote party terminating a call](#)
- [How to detect when a charger is connected](#)
- [How to dial a string \(with pause characters\)](#)
- [How to discover all installed applications](#)
- [How to discover the amount of free RAM](#)
- [How to display drop down/fly out menu](#)
- [How to display splash screen in a non GUI thread](#)
- [How to display ticker on active idle](#)
- [How to display various system information](#)
- [How to download a file on the device](#)
- [How to draw and update the screen directly by accessing the screen memory](#)
- [How to draw image to screen directly](#)
- [How to draw transparent image without mask](#)
- [How to enable empty strings in query dialogs](#)
- [How to enable or disable HotKeys dynamically](#)
- [How to enable tone in dialogs](#)
- [How to establish data call in S60 3rd edition devices](#)
- [How to export a complete folder structure by PRJ EXPORTS](#)
- [How to export landmarks from database to file](#)
- [How to fade screen behind a custom popup control](#)
- [How to fetch an entry and set it in CAknSettingItem](#)
- [How to fetch media files](#)
- [How to find whether the application is running in a E-Series device ?](#)
- [How to force launch of VKB in CEikEdwin](#)
- [How to force launch of VKB in FEP-aware custom control](#)
- [How to generate random number using seed value](#)
- [How to get Application Icon using RApaLsSession](#)
- [How to get Battery Status](#)
- [How to get Connected Bluetooth Device Address](#)
- [How to get Current Environment Font](#)
- [How to get Drive Information](#)
- [How to get File Size](#)
- [How to get Focus Events](#)
- [How to get GDR fonts](#)
- [How to get IAP ID of a connection](#)
- [How to get MAC address of a WLAN device](#)
- [How to get Numeric Input in CEikEdwin](#)
- [How to get ReDraw event in exe from window server?](#)
- [How to get Subscriber identification](#)
- [How to get bluetooth HCI scan enable parameter](#)
- [How to get current directory](#)

- [How to get drive size](#)
- [How to get id3 info from a MP3 file](#)
- [How to get notification of profile change](#)
- [How to get notification when screen orientation is changed in exe \(without CONE\)?](#)
- [How to get private directory](#)
- [How to get the Current Item Text from ListBox](#)
- [How to get the Current Orientation](#)
- [How to get the Device Area in Pixels](#)
- [How to get the Software Version on 2nd Edition](#)
- [How to get the Volume Information](#)
- [How to get the attachments from an EMail](#)
- [How to get the battery strength of mobile using Symbian C++](#)
- [How to get the count of different unread messages](#)
- [How to get the count of recent missed calls](#)
- [How to get the count of unread messages from Inbox](#)
- [How to get the machine uid of the Device](#)
- [How to handle call events using CTelephony 3rd Edition](#)
- [How to handle events in custom controls](#)
- [How to hide CBA/MenuBar](#)
- [How to hide Status Pane](#)
- [How to hide/show a setting item depending upon other setting item](#)
- [How to hold a call](#)
- [How to implement Compound Controls?](#)
- [How to implement a multi-threaded Progress dialog](#)
- [How to implement a recent array](#)
- [How to implement a singleton class in Symbian OS](#)
- [How to implement camera snap sound in s60 device?](#)
- [How to import landmarks from file to database](#)
- [How to insert an image into a skin aware CEikRichTextEditor](#)
- [How to insert text on navi pane of an application](#)
- [How to install 2 copies of the same application](#)
- [How to keep the Backlight on](#)
- [How to know Flight mode status](#)
- [How to know fax line status](#)
- [How to know features supported](#)
- [How to know the tsy name programatically on a specific device](#)
- [How to make Flash launcher with Symbian C++](#)
- [How to make a full-screen application using Symbian C++](#)
- [How to make an application backup and restore](#)
- [How to make use of Flash Lite with Symbian C++](#)
- [How to manage contact database while encryption](#)
- [How to manage landmark categories](#)
- [How to manage local landmark databases](#)
- [How to modify grid](#)
- [How to mute device in 2nd edition](#)
- [How to obtain and save current location](#)
- [How to optimise application start-up time](#)
- [How to parse XML file using CParser class](#)
- [How to pass Symbian Signed for Nokia tests](#)
- [How to pick remote Bluetooth address](#)
- [How to play a SWF file from your Symbian application?](#)

- [How to play sounds](#)
- [How to prevent dial pad and voice command from being started by green key](#)
- [How to read TBUF from resource file](#)
- [How to read ZIP file](#)
- [How to read a CSV file](#)
- [How to read file size without using RFile](#)
- [How to read icons for listbox](#)
- [How to read images to Symbian bitmap](#)
- [How to remove locally created files during uninstall](#)
- [How to resize an array](#)
- [How to resolve 302 Redirect Status](#)
- [How to resume a call](#)
- [How to retrieve S60 3rd Edition device model name](#)
- [How to retrieve a list of currently running tasks?](#)
- [How to retrieve the SSID and BSSID using WLAN INFO API](#)
- [How to retrieve SSID used in WLAN IAP and IAP used by VPN IAP programmatically](#)
- [How to run the file with the default application](#)
- [How to select an item in CAknSelectionListDialog](#)
- [How to select and show a landmark](#)
- [How to send AT Commands](#)
- [How to send descriptor over Bluetooth](#)
- [How to send keypresses to another application](#)
- [How to send message to a specified application](#)
- [How to send other Application to Background](#)
- [How to send particular Event to External application in Symbian](#)
- [How to send the Application to Background](#)
- [How to set File Attributes](#)
- [How to set the initial value for the selection list query dialog](#)
- [How to show GPS Device Activity Status](#)
- [How to show file download progress](#)
- [How to show marquee on navi pane](#)
- [How to show unicode characters using resource file](#)
- [How to sign a .Sis file with Self-Sign Certificate](#)
- [How to specify conditions in Package File.](#)
- [How to start EXE from an EXE in 3rd Edition](#)
- [How to start and stop exe](#)
- [How to subscribe presence status using SIP APIs](#)
- [How to support layout switching](#)
- [How to suppress the menu option of a form](#)
- [How to switch on the email LED indicator in S60 devices ?](#)
- [How to synchronize in 3rd Edition](#)
- [How to terminate call](#)
- [How to troubleshoot Platform Security issues](#)
- [How to turn off T9 in CEikEdwin editor?](#)
- [How to uninstall Application programmatically in 2nd Edition](#)
- [How to use CEikFloatingPointEditor](#)
- [How to use CEikLabel](#)
- [How to use Descriptor as an Array](#)
- [How to use GCCE and Open C](#)
- [How to use HAL attributes in pkg file](#)
- [How to use PathInfo API for getting content directories path.](#)

- [How to use RDebug](#)
- [How to use Thread Local Storage](#)
- [How to use http to send soap request](#)
- [How to use the CAknWaitDialog](#)
- [How to write a Flash Stub application to protect your SWF file?](#)
- [Implementing Dialer example in Symbian](#)
- [Implementing Password Edwin on Symbian Phones](#)
- [Implementing asynchronous requests](#)
- [Implementing recursive mutexes](#)
- [Installing Java apps and WRT widgets using sis files](#) **NEW**
- [Loading and mounting a ?le system](#)
- [Local Landmark Database Manager](#)
- [Message Queue Handler](#)
- [Modifications required to change an application from a .APP to a .EXE](#)
- [Obtaining current device position](#)
- [Obtaining device speed](#)
- [Open file with its corresponding handler](#)
- [Preview Pop-up](#)
- [Process monitor](#)
- [Programmatically restarting the device](#)
- [Quick and dirty porting of autoconf apps](#)
- [Remove/Uninstall application from emulator](#)
- [Retrieve General phone information using Shared Data API](#)
- [Retrieving Phone's Manufacturer ,Model & IMEI number in Symbian](#)
- [Retrieving location information](#)
- [Running Console Applications in Carbide.c++](#)
- [Sampling Profiler](#)
- [Satellite coordinates](#)
- [Scanning folders & subfolders in Symbian devices](#)
- [Sending Application in Background using RSS](#)
- [Sending an application to background](#)
- [Serial communication](#)
- [Set default device on the emulator](#)
- [Setting Default email and Active idle messaging plugin](#)
- [Setting the image and mask bitmaps](#)
- [Simple Distance Presenter](#)
- [Simple Reference Counting Singleton](#)
- [Simulate a keypress](#)
- [Speeding up compilation](#)
- [Static class in Symbian](#)
- [Symbian?????](#)
- [Tasks \(running GUI application\), how to find them](#)
- [Tips and Tricks - Symbian C++ Programming](#)
- [To get the serial number of a SD card on Symbian OS v9](#)
- [Trace Function Enter, Exit and Leave](#)
- [Two Dimensional TInt Array in Symbian](#)
- [UIDs of self-signed applications](#)
- [Use CAknEnumeratedTextPopupSettingItem dynamically at runtime](#)
- [Uses of DEF File](#)
- [Using .ini Files](#)
- [Using CReadFaxFile](#)

- Using CWriteFaxFile
- Using Clock API
- Using TRAP
- Using timers
- ???
- ???PRJ EXPORTS?????
- ???Tlex?????
- ??????/???????
- ???TBuf???QString
- ?????????????UID
- ?????????????UID
- ??????????????/?????
- ???????????
- ???????????
- ???ZIP??
- ???????????????
- ?????????????????
- ?????????????????
- To get the serial number of a SD card on Symbian OS v9