

Code for sending emails

For sending emails the following code can be used

Header Required:

```
#include <rsendas.h>
#include <rsendasmessage.h>
#include <senduiconsts.h>
```

Library needed:

```
LIBRARY sendas2.lib
```

Source File:

```
RSendAs send;
    User::LeaveIfError(send.Connect());
    CleanupClosePushL(send);

    RSendAsMessage sendAsMessage;
    sendAsMessage.CreateL(send, KUidMsgTypeSMTP);
    CleanupClosePushL(sendAsMessage);

    sendAsMessage.SetSubjectL(_L("Welcome back to symbian"));
    sendAsMessage.AddRecipientL(
        _L("you@me.com"), SendAsMessage::ESendAsRecipientTo);
    //adding to field
    sendAsMessage.SetBodyTextL(_L("somebody@world.com"));

    TRequestStatus status;
    //adding attachments
    sendAsMessage.AddAttachment(_L("c:\\splash.bmp"), status);
    User::WaitForRequest(status);

    sendAsMessage.SendMessageAndCloseL();
    CleanupStack::Pop();
    CleanupStack::PopAndDestroy();
```

Gokul.S.Kartha, DeviceDriven, -flauntr.com-"flaunt your stuff" --[Everyourgokul](#) 11:11, 24 April 2007 (UTC)